

## 'PERFORMANCE DATA' PRODUCTS LISTING (PDPL)

<u>ID # [X-File #]</u>	<u>Product Trade Name / Manufacturer</u>	<u>Product Description and Manufacturer Suggested Use</u>	<u>Vendor Certifies Compliance With:</u>	<u>Rev. Date</u>
<u>CATEGORY</u>	<u>Contact Reference</u>			
<b>J.1 PCC Repair Mtls.- Horizontal</b>				
00-105	<b>SD-1048</b> <b>Border Industrial, Inc.</b> Wade Olson @ 800 898 8769, ID (Idaho) <u>Local Rep.:</u> Stanley Carper 801 575 2994	<i>Product is a concrete polyester fast patch that has been laboratory tested and complied with UDOT criteria.</i>	ASTM C 928, UDOT Materials Test for Bond and Durability	8/01
99-166	<b>Rapid Set Non-shrink Grout</b> <b>CTS Cement Mfg. Co.</b> C. B. Chuck Vetsch @ 509 536 4138, WA (Washington) <u>Local Rep.:</u> White Cap Industries 801 463 2770	<i>Product is a fast set multipurpose grout for concrete repair.</i>	ASTM C 928, UDOT Materials Test for Bond and Durability.	10/00
99-168	<b>Rapid Set Concrete Mix</b> <b>CTS Cement Mfg. Co.</b> C. B. Chuck Vetsch @ 509 536 4138, WA (Washington) <u>Local Rep.:</u> White Cap Industries 801 463 2770	<i>Product is a rapid set cement, with sand and gravel for fast, high strength patching repairs.</i>	ASTM C 928, UDOT Materials Test for Bond and Durability.	10/00
00-047	<b>Thoroc 10-60 Rapid Mortar</b> <b>Chemrex, Inc.</b> Fraser MacPhee @ 801 971 0689, UT (Utah) <u>Local Rep.:</u> Saunders & Assoc. 801 254 2955	<i>Product is a fast setting concrete repair mortar, designed for early strength.</i>	ASTM C 928, UDOT Materials Test for Bond and Durability.	10/00

<u>ID # [X-File #]</u>	<u>Product Trade Name / Manufacturer</u> <u>CATEGORY</u>	<u>Contact Reference</u>	<u>Product Description and</u> <u>Manufacturer Suggested Use</u>	<u>Vendor Certifies</u> <u>Compliance With:</u>	<u>Rev.</u> <u>Date</u>
<b>J.1 PCC Repair Mtls.- Horizontal</b>					
99-041	<b>Pave Patch 3000</b> <b>Conspc Marketing &amp; Manufacturing, Co</b> Mike LeMark @ 800 348 7351, KS (Kansas) <u>Local Rep.:</u> Champion Fabricating-Supply Co. 801 566 1211		<i>Product is a cementitious fast setting concrete repair material.</i>	ASTM C 928, UDOT Materials Test for Bond and Durability.	10/00
97-035	<b>Burke Fast Patch 928</b> <b>EDOCO</b> Stan Stratton @ 310 834 3401, CA (California) <u>Local Rep.:</u> Intermountain Fastening Sysems 801 466 0307		<i>Product is a one component, cement based system containing polymers and fibers formulated for making fast repairs to concrete.</i>	ASTM C 928, UDOT Materials Test for Bond and Durability.	10/00
97-217	<b>Euco-Speed</b> <b>Euclid Chemical Company</b> @ 801 359 2044, OH (Ohio) <u>Local Rep.:</u> Apex Building Specialties 801 359 20244		<i>Product is a very rapid setting cementitious material for patching and repair of concrete surfaces.</i>	ASTM C 928, UDOT Materials Test for Bond and Durability.	10/00
97-081	<b>Durapatch Hiway</b> <b>L&amp;M Construction Chemicals</b> Larry Schwietz @ 402 453 0600, NE (Nebraska) <u>Local Rep.:</u> Pride West 801 973 2049		<i>Product is a one component, fiber reinforced cement based concrete repair material.</i>	UDOT Materials Test for Bond and Durability.	1/02
98-078	<b>Emaco T 415</b> <b>Master Builders, Inc.</b> Chris Ball @ 216 831 5500, OH (Ohio) <u>Local Rep.:</u> Conesco 801 972 8777		<i>Product is a high performance repair mortar resulting in high early strength at a wide range of temperatures.</i>	ASTM C 928, UDOT Materials Test for Bond and Durability.	10/00

<u>ID # [X-File #]</u>	<u>Product Trade Name / Manufacturer</u> <u>CATEGORY</u>	<u>Contact Reference</u>	<u>Product Description and</u> <u>Manufacturer Suggested Use</u>	<u>Vendor Certifies</u> <u>Compliance With:</u>	<u>Rev.</u> <u>Date</u>
<b>J.1 PCC Repair Mtls.- Horizontal</b>					
98-109	<b>Quikrete Rapid Road Repair #1242</b> <b>Quikrete Companies</b> Jim Hicks @ 770 216 9580, GA (Georgia) <u>Local Rep.:</u> David Cambre 801 973 9990		<i>Product is a cementitious fast set concrete repair material.</i>	ASTM C 928, UDOT Materials Test for Bond and Durability.	10/00
00-042	<b>Transpatch</b> <b>US Mix Products Company</b> Gregg Freeman @ 303 778 7227, CO (Colorado) <u>Local Rep.:</u> None		<i>Product is a blend of portland cements, aggregates and admixtures to provide a rapid setting concrete fast patch repair material.</i>	ASTM C 928, UDOT Materials Test for Bond and Durability.	10/00
00-043	<b>US Spec. Multi Purpose Grout</b> <b>US Mix Products Company</b> Gregg Freeman @ 303 778 7227, CO (Colorado) <u>Local Rep.:</u> None		<i>Product is a high flow, high strength, non shrink, non metallic grout. Manufacturer furnished successful test results in 2001.</i>	UDOT Materials Test for Bond and Durability.	9/01
00-044	<b>US Spec General Purpose Grout</b> <b>US Mix Products Company</b> Gregg Freeman @ 303 778 7227, CO (Colorado) <u>Local Rep.:</u> None		<i>Product is a high strength, non metallic, non shrink general purpose grout. Manufacturer furnished successful test results in 2001.</i>	UDOT Materials Test for Bond and Durability.	9/01
00-046	<b>US Spec Highway Patch</b> <b>US Mix Products Company</b> Gregg Freeman @ 303 778 7227, CO (Colorado) <u>Local Rep.:</u> None		<i>Product is a high strength, fast setting, fiber reinforced concrete repair material.</i>	ASTM C 928, UDOT Materials Test for Bond and Durability.	10/00